

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/051,585	01/18/2002	Takahiro Sato '	YAMAP0797US	1116
43076 7590 05/10/2007 MARK D. SARALINO (GENERAL) RENNER, OTTO, BOISSELLE & SKLAR, LLP			EXAM	INER
			WILLIAMS, JEFFERY L	
1621 EUCLID AVENUE, NINETEENTH FLOOR CLEVELAND, OH 44115-2191		TH FLOOK	ART UNIT	PAPER NUMBER
			2137	
			A	
			MAIL DATE	DELIVERY MODE
			05/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	
		10/051,585	SATO ET AL.	
	Office Action Summary	Examiner	Art Unit	
	•	Jeffery Williams	2137	
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address	
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is period for reply is specified above, the maximum statutory period or the to reply within the set or extended period for reply will, by statute the provision of the provision of the mailing of the period by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
1)⊠	Responsive to communication(s) filed on 16 Fe	ebruary 2007.	•	
· —		action is non-final.		
3)	Since this application is in condition for allowar	nce except for formal matters, pro	osecution as to the merits is	
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.	
Dispositi	on of Claims		•	
4)⊠	Claim(s) 1-19 is/are pending in the application.	·		
	4a) Of the above claim(s) is/are withdraw			
5)	Claim(s) is/are allowed.			
6)⊠	Claim(s) 1-19 is/are rejected.			
7)	Claim(s) is/are objected to.			
8)□	Claim(s) are subject to restriction and/o	r election requirement.		
Applicati	on Papers		,	
9)⊠	The specification is objected to by the Examine	ır.		
10)	The drawing(s) filed on is/are: a)☐ acc	epted or b)⊡ objected to by the l	Examiner.	
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).	
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).	
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.	
Priority u	ınder 35 U.S.C. § 119	•		
_	Acknowledgment is made of a claim for foreign ⊠ All b)  Some * c)  None of:	priority under 35 U.S.C. § 119(a)	)-(d) or (f).	
	1. Certified copies of the priority documents	s have been received.		
	2. Certified copies of the priority documents	s have been received in Applicati	ion No	
	3. Copies of the certified copies of the prior	rity documents have been receive	ed in this National Stage	
	application from the International Bureau	• • • • • • • • • • • • • • • • • • • •		
* 5	See the attached detailed Office action for a list	of the certified copies not receive	ed.	
Attachmen	MS)			
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/12/04 10/29/04.		Paper No(s)/Mail Da	ate	
		5)  Notice of Informal P 6)  Other:	'atent Application	

1	DETAILED ACTION
2	
3	This action is in response to the communication filed on 6/19/2006.
4	All objections and rejections not set forth below have been withdrawn.
5 6 7	Specification
8	
9	The specification is objected to as failing to provide proper antecedent basis for
10	the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction
11	of the following is required: The amendment of 2/16/07 adds the following claim
12	recitations (or similar) to claims 1 – 19:
13	configured to judge whether intermediate code obtained from the RAM is the
14	intermediate code or the encrypted intermediate code, independent of where the
15	intermediate code is stored in the RAM; configured to execute the interpreter execution
16	program for interpreting the intermediate code; and configured to execute the interprete
17	execution program for decrypting and interpreting the encrypted intermediate code.
18	wherein the CPU judges whether intermediate code obtained from the RAM is
19	the intermediate code or the encrypted intermediate code based on header information
20	included in the intermediate code.
21	wherein the header information is a flag.
22	The specification fails to provide proper antecedent basis for these recitations.
23	

## Claim Rejections - 35 USC § 112

2

3

1

## The following is a quotation of the first paragraph of 35 U.S.C. 112:

45678

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

9

10

11

12

13

14

15

16

Claims 1 – 19 are rejected under 35 U.S.C. 112, first paragraph, as failing to

comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant has not pointed out where the new (or amended) claim is supported, nor does there appear to be a written description of the claim limitations in the application as filed (see above objection to the specification).

17 18

## Claim Rejections - 35 USC § 103

19

20

21

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

22 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all 23 obviousness rejections set forth in this Office action:

29

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1	
2	

Claims 1, 12, and 15 – 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Westheimer et al. (Westheimer), "Computer Software Protection System", 4,573,119 in view of Buerkle et al. (Buerkle), "System for Executing Microinstruction Routines By Using Hardware to Calculate Initialization Parameters Required Therefore Based Upon Processor Status and Control Parameters".

Regarding claim 1, Westheimer discloses:

a RAM for storing an intermediate code representing a command control string to be executed by a control section and an encrypted intermediate code representing another command control string to be executed by the control section after first being decrypted (Westheimer, fig. 1:48; 2:26-29;4:52-61; claim 8); and a CPU for controlling execution (Westheimer, fig. 1:40).

Westheimer discloses a LSI wherein a CPU controls the execution of both encrypted and unencrypted instructions. Westheimer discloses that program instruction or "intermediate code" are fetched by the CPU, wherein an instruction is identified by an opcode and operated upon accordingly. However, Westheimer does not disclose that the CPU operates using an "interpreter execution program" to process the programmed instructions [encrypted or unencrypted], and that such an "interpreter execution program" is stored in a ROM.

Buerkle teaches that LSI processors utilize an "interpreter execution program" [microprogram] to allow a CPU to process intermediate code [macroinstructions]

1 according to the opcodes of the instructions. Buerkle teaches that prior art discloses

LSI's as storing the "interpreter execution program" in a ROM (Buerkle, "Description of

the Related Art").

. 14

It would have been obvious to one of ordinary skill in the art to recognize the need for an "interpreter execution program" stored in a ROM to allow a CPU to control the execution of an "intermediate code", and thus follow the LSI processor design teachings of Buerkle within the LSI processor system of Westheimer. This would have been obvious because one of ordinary skill in the art would have been motivated to practically implement the features known in prior art to be included within LSI processor systems.

the combination enables:

a CPU configured to judge whether intermediate code obtained from the RAM is the intermediate code or the encrypted intermediate code, independent of where the intermediate code is stored in the RAM (Westheimer, fig. 1:40; 2:54-57); configured to execute the interpreter execution program for interpreting the intermediate code; and configured to execute the interpreter execution program for decrypting and interpreting the encrypted intermediate code (Buerkle, "Description of the Related Art").

Regarding claim 12, the combination enables:

the RAM, the ROM, and the CPU are formed on one chip (Westheimer, 2:26-29).

Regarding claim 15, the combination enables:

Art Unit: 2137

Page 6

wherein the CPU judges whether intermediate code obtained from the RAM is 1 2 the intermediate code or the encrypted intermediate code based on header information 3 included in the intermediate code (Westheimer, fig. 1:40; 2:54-57). 4 5 Regarding claim 16, the combination enables: 6 wherein the header information is a flag (Westheimer, fig. 1:40; 2:54-57). 7 8 Regarding claims 17 – 19, they are substantially similar to claims 1, 12, 15, and 9 16, and they are rejected, at least, for the same reasons. 10 Claims 4 – 14 are rejected under 35 U.S.C. 103(a) as being unpatentable 11 12 over the combination of Westheimer and Buerkle in view of Hagiwara et al. 13 (Hagiwara) "Disk Drive computer with Programmable Nonvolatile Memory Capable of Rewriting a Control Program of the Disk Drive", U.S. Patent 6,393,561. 14 15 16 Regarding claim 4, the combination of Westheimer and Buerkle disclose: 17 the RAM, the ROM, the CPU and the control section are formed on one chip 18 (Westheimer, 2:26-29). 19 The combination of Westheimer and Buerkle discloses in general a secure and 20 programmable LSI microprocessor wherein executed instructions can be stored in 21 encrypted or decrypted form. The combination does not disclose an optical disk control 22 section and a recording/reproduction head.

Art Unit: 2137

Page 7

Hagiwara teaches that programmable LSI microprocessors can be incorporated with an optical disc device, wherein the control of the disk drive is by customized application programs stored within the programmable LSI microprocessors (Hagiwara, "Technical Field"; 5:13-59; 6:61-7:2; 15:48-53; 13:44-49; 19:30-39). The included programmable LSI microprocessor section of the disk drive controls the optical disk drive in response to requests from a host (Hagiwara, 11:64-67). Hagiwara teaches that programmable LSI microprocessors within optical disk drives beneficially aids the manufacturing cycle of such drives for customers (Hagiwara, 3:57-60; 4:55-67; 6:1-7).

It would have been obvious to one of ordinary skill in the art to incorporate the teachings of Hagiwara for combining a optical disk drive with a programmable LSI microprocessor within the secure, programmable LSI microprocessor system of the combination of Westheimer and Buerkle. This would have been obvious, because one of ordinary skill in the art would have been motivated by the disclosed need within prior art to equip disk drives with programmable LSI microprocessors.

The combination enables an *optical disk control section* (Hagiwara, fig. 1:5) and a recording/reproduction head (Hagiwara, fig. 1:11).

Regarding claim 5, it contains essentially similar limitations as claim 4, and it is rejected, at least, for the same reasons. Furthermore, the combination enable an "execution section" (Westheimer, fig. 1:20; Hagiwara, fig. 1:5). The combination enables for the execution of "intermediate code" that is to effect a useful result (Westheimer, 1:14-26), the useful result being for the controlling of the

1	reproduction/recording of information on an optical disk (see rejection of claim 4). Thus
2	the execution results in a "command control string" to control the optical disk drive.
3	
4	Regarding claim 6, it is rejected, at least, for the same reasons as claim 1.
5	
6	Regarding claim 7, it is rejected, at least, for the same reasons as claim 4.
7	
8	Regarding claim 8, the combination enables:
9	a recording/reproduction head for recording/reproducing information on an optical
10	disc (Hagiwara, fig. 1:11);
11	an optical disc control section for controlling a motor which drives the optical disc
12	(Hagiwara, fig. 1:10),
13	wherein the optical disc control section is comprised within the control section
14	(Westheimer, fig. 1:20; Hagiwara, fig. 1:5), and the RAM, the ROM, the CPU and the
15	control section are formed on one chip (Westheimer, 2:26-29).
16	
17	Regarding claim 9, the combination enables:
18	wherein the optical disc control section is formed on the one chip (Westheimer,
19	2:26-29).
20	
21	Regarding claim 11, the combination enables:

22 ·

1	the RAM stores the encrypted intermediate code and the unencrypted
2	intermediate code (Westheimer, fig. 1:48; claim 8).
3	
4	Regarding claim 13, the combination enables:
5	wherein the intermediate code represents user customized command control
6	strings (Hagiwara, 5:36-42), and the encrypted intermediate code represents vendor
7	proprietary command control strings (Westheimer, 1:14-26).
8	
9	Regarding claim 14, it contains essentially the same limitations as claim 13, and
10	it is rejected, at least, for the same reasons.
11	
12	
13	Claims 1 – 19 are rejected under 35 U.S.C. 103(a) as being unpatentable
14	over CN2045628U in view of CN1245926A.
15	
16	Regarding claims 1 – 19, the combination of CN2045628U and CN1245926A
17	enables the claim limitations, comprising inter alia an LSI, CPU, RAM, ROM, interprete
18	execution program, unencrypted code, encrypted code, and decrypting and executing
19	code. The applicant's may refer to the Chinese Office Action dated 7/9/2004.
20	
21	Response to Arguments

Art Unit: 2137

Page 10

Applicant's arguments filed 2/16/2007 have been fully considered but they are not persuasive.

Applicant's argue primarily that:

(i) However, applicants respectfully note that the programs A and B in RAM 48 do not constitute intermediate code as recited in claims 1 and 12...intermediate code (e.g., Basic, Java, PASCAL, etc.) does not constitute code on the machine code level as in Westheimer et al. (Remarks, pg. 9)

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). Regarding the applicant's above argument, the examiner respectfully points out that claims 1 and 12 stand rejected in view of Westheimer and Buerkle.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., *Basic, Java, PASCAL, etc.*) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

1

2 (ii) Namely, neither Westheimer et al. nor Buerkle et al., taken alone or in 3 combination, teach or suggest ... judging whether the intermediate code is encrypted 4 independent of where the intermediate code is stored in the RAM as recited in amended 5 claim 1 (Remarks, pg. 12).

6

7

8

9

In response, the examiner respectfully notes that, regardless of where the code is stored, the combination discloses that the judgment can be made (Westheimer, 2:54-57). Thus, "independently" as claimed.

Conclusion

10

11

12

13

14

15

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

16

17

See Notice of References Cited.

18

19

20

21

22

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2137

· ·

A shortened statutory period for reply to this final action is set to expire THREE

Page 12

2 MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

4 mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

9

10

11

12

13

14

15

16

1

3

5

6

7

8

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffery Williams whose telephone number is (571) 272-7965. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2137

Information regarding the status of an application may be obtained from the

Page 13

- 2 Patent Application Information Retrieval (PAIR) system. Status information for
- 3 published applications may be obtained from either Private PAIR or Public PAIR.
- 4 Status information for unpublished applications is available through Private PAIR only.
- 5 For more information about the PAIR system, see http://pair-direct.uspto.gov. Should
- 6 you have questions on access to the Private PAIR system, contact the Electronic
- 7 Business Center (EBC) at 866-217-9197 (toll-free).

8

1

9

10 J. Williams

11 Art Unit 2137

12

EMMANUEL L. MOISE SUPERVISORY PATENT EXAMINER